

Газконтроль.рф

03

03.103.000.000

03.

03.

1

1.1

1.1.1

03 (

—

)

-

39722620.016-2000

1.1.2

15150

4

04.

—

15543.1

1.1.1

—

1.1.2

—

17516.1

M9.

1.1.3

15

35

1.1.4

—

0,1.

1.1.5

—

1.1.6

— R

R=Un/ln, Un —

, ln —

(ln=0,15).

1.2

1.

1.3

2.

1.4

1.4.1

1.

1.4.2

3.

1.4.3

± 20%

1.4.4

(

24).

0,48

1.4.5

10

1.4.6

14254

IP65.

1.4.7

1.4.8

— 300

1.4.9

25 °

70 ° ,

1.

1.5

1.5.1

03204-234

03204-130

03204-240

2-

03204-130

03204-240

03204-130

2-

5.

30 1,5-6g

1.5.2

«

»

1.6

1.6.1

1)

2)

3)

4)

5)

6)

(

7)

1.6.2

()

2.

03-204-.... 4	(Sn),		* (R),	(H),					
	min	max							
30111									
30211	30	2	20	1	2				
30121									
30221									
34311	34	2	25	1,3	2,6	70	24	0,2	1,5
34321									
40321									
40321	40	5	30	2	4				
40321									
40321									

* — 30, 4. 03-204- 34 — 10
40 — 20 ;
R
: R 0,1ÅSn; H 0,2ÅSn.

2

*

()

+24

()

?24

1

2

* —

2

2.1

2

2.1.1

()

2.1.2

2.2

2.2.1

2.2.2

2.2.3

2.3

2.3.1


2.3.2

2.3.3

2.4

2.4.1

1.



(Sn)

1.

Sn

1) — 1,0;

2) — 1,0;

3) — 0,5—0,6;

4) 0,1—0,2;

5) () — 0,2—0,6;

6) — 0,2—0,6.

2.4.2

3.


2.4.3

10%

1.

0,5

24



3

3.1

3.2

4

4.1

4.2

4.3

4.4

4.5

23216.

15150.

1

03 - 2 04 - 30 1 2 1 4 (04)

1 2 3 4 5 6 7 8 9 10 11

1.

2.

3.

: 1 —
2 —

4.

(04 0,2)

5.

: —
—

6.

(30, 34 40)

7.

: 1 —
2 —
3 —

8.

: 1 — n-p-n
2 — p-n-p

9.

: 1 —
0 —

10.

15150


11.

15150


2

03-204- 34


03-204- 40



— 03-204- 34, — 03-204- 40,
— 03-204- 40 (. 3).




: 0,2 03-204- 34,
0,27 03-204- 40.




3


03-204- 34311




03-204- 34311



03-204- 30111




03-204- 30111




3()


03-204- 30111




03-204- 30111




03-204- 40111




03-204- 40211




03-204- 40121



03-204- 40221



4



	* (L),
30	50
34	55
40	60

* -

35 1050.